

Safety Cover Measuring Form

155 N. Main St., Ste #201 - Collierville, TN 38017

Toll Free 888-246-6909 - Direct: 901-414-2225

Your Shipping Address & C	Contact Information	I AM INTERE	STED IN: CHECK ALL THAT APPLY	DECK TYPE			
Name Address		☐ Mes	h	CONCR	ETE		
City State	Zip	□ Solid	d with drain panel	WOOD			
	ZIP		d with cover pump				
Phone Email				BRICK F	AVER / GRASS		
A B □ Rectangle	G C A B Grecian	E IF	A B Oval	В	A Kidney *		
B E Roman	A Round		A Humpback *		B Free Form *		
B Keyhole *	F E Lazy-L D	В	F E D	A B C D E F			

Please check appropriate box and fill in the dimensions in the space provided. Only A and B are needed for an Initial Quote but the more information we have, the better we will be able to quote you. A-B Measurements will be required before ordering for shapes marked with an asterisk (*). ANY pools with waterfalls or attached spas REQUIRE A-B Measurements for quoting. Please note True Ells need A-D filled out and Lazy Ells need A-C.


A-B MEASURING INSTRUCTIONS

NECESSARY FOR ALL FREE FORM POOLS, OVALS WITH STEP OTHER THAN CENTER END, AND WHEN REQUESTED BY MANUFACTURER.

TOOLS REQUIRED: Chalk, 100' Tape Measure, Pencil.

Working with another person will make this job much easier.

- 1. a) Draw a sketch of the pool shape in the space provided.
 - b) To represent you're A-B line, mark two points on the deck in a straight line approximately 3-4ft from the pools edge and about two-thirds (2/3's) the length of the pool. "A" must always be to the left of "B" as you are facing the pool and the line is between you and the pool.
 - c) Make sure that the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d) Measure the A-B line and note its length and position in reference to the pool on your sketch.
- 2. a) Use a piece of chalk to mark and number points clockwise around the entire pool at approximately 2-3ft intervals. Point #1 must be directly across from the center point of your A-B line. Make sure that your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1' intervals or less. Any non-removable obstructions (EG: diving boards, ladders, slide legs, waterfalls, etc.) should be a numbered point. Measure these last after completing all points.
 - b) Obstructions away from the waters edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pools edge.
 - c) Make sure to include steps, ladders, waterfalls or any other non-removable obstructions on your sketch.
- 3. Record Measurements from point A and B to all the points you have marked along the pool perimeter.
 - a) Secure the end of your 100' measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue measuring points all of the way around the pool until you have recorded all of your "A" measurement points.
 - b) Secure the end of your 100' measuring tape to your "B" point and repeat step above for your "B" column.
- 4. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.



PLEASE SKETCH OUTLINE OF POOL IN THIS AREA

Pool on this side of A-B Line					
Α	Version and the control	alde of A.D.Bu	В		
	You Stand Here On this	SIGE OT A-B line			

If you extend the A-B line past the points it CANNOT intersect pool. "A" MUST be left of "B".

The 1st point is put on the edge of the pool closest to point A and other points follow in a clockwise direction.

Description	Dimension	From This Point	To This Point	Notes
Overall Length				Longest Dimension of Pool
Overall Width				Widest Dimension of Pool
Cross Dimension #1				Show on sketch above
Cross Dimension #2				Show on sketch above
Cross Dimension #3				Show on sketch above
Cross Dimension #4				Show on sketch above
A-B Line Dimension		Α	В	Show Pool in relation to A-B on sketch

Indicate areas where the deck is less than 3' from waterline of the pool_____

Point	Α	В												
1			13			25			37			49		
2			14			26			38			50		
3			15			27			39			51		
4			16			28			40			52		
5			17			29			41			53		
6			18			30			42			54		
7			19			31			43			55		
8			20			32			44			56		
9			21			33			45			57		
10			22			34			46			58		
11			23			35			47			59		
12			24			36			48			60		

ADDITIONAL REQUIRED INFORMATION

Cutouts may be required if there are any non-removable objects (ie: diving board stand) are within 18" of pools edge. Please provide points and/or A-B dimensions to locate these objects. These points must be shown on drawing above. Labeled photos for pools with complex features may be required!

	All non-remov	able obstacles
1.	Grab Rails: Point # to Point #	12. Raised wall or raised bond beam:
	Distance rails are set back from pool	Point # to Point #
	'	Height of wall
		Give A-B dimensions at beginning and end of
		wall as well as several points along the wall.
2	Handrails: Point # to Point #	13. Waterfall or Rock Formation:
۷.	Distance rails extend into the pool	Point # to Point #
	Distance rails exteria into the poor	Give A-B dimensions at beginning of formation
		as well as several points along the formation
		and at end of formation .
2	Ladders: Point # to Point #	14. Varying Deck Levels:
J.	How far does ladder extend into pool?	
	now fair does ladder extend into poor?	Step 1: Point # to Point #
		Height to Boint #
		Step 2: Point # to Point #
4.	Fill spout: Point #	15. Wood Deck: Yes No
	Dimensions and distance from pool	Indicate partial wood deck areas:
	·	Point # to Point #
	How high if raised?	
5.	Dive Stand: Point # to Point #	Additional requirements/comments here:
6.	Slide Legs(If within 2'): Point # to	
	Point #	
	Distance legs are back from pool	
	j	
7.	Dive Rocks: Point # to Point #	
	Distance back from pool	
8.	Grab rocks: Point # to Point #	
	Distance back from pool	
9.	Coping type: width?	
10.	Planter or grass area:	Safety cover facts
	Point # to Point #	Custom covers usually ship in 10-15 business days
		from date we place order with manufacturer.
11.	. Spa: Point # to Point # Separate cover req'd? Yes No	All custom covers are made to your specifications;
	Separate cover req'd? Yes No	therefore they are not refundable.
	How high is spa?	Rectangle covers placed on a pool with radius corners
	Is spa wall flush with top of coping?	of more than 2ft, will void the warranty.
	Yes No	(True for all manufacturers)

Open Spillway? Yes

Point #

If yes: To locate spillway is from

four corners of open spillway.

to Point #

Give points all around spa and points at all

No

- ers (True for all manufacturers)
- A minimum of 36" of decking is required for normal anchor placement.
- 5'x5' and 3'x3' grid sizes are approximate and could vary 4'-6' or 2'-4' respectively for best fit.
- Tennessee residents will be subject to normal sales Tax. All others will be tax free.